**IEEE** *Xplore*®
RELEASE 2.1

**Welcome United States Patent and Trademark Office**

⊏◻⊐**Search Results**          BROWSE          SEARCH          IEEE XPLORE GUIDE

Results for "( ( identifier<in>metadata ) <and> ( security<in>metadata ) )"          ☑e-mail
Your search matched **56** of **1344017** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

**» Search Options**

View Session History

New Search

**» Key**

| | |
|---|---|
| **IEEE JNL** | IEEE Journal or Magazine |
| **IEE JNL** | IEE Journal or Magazine |
| **IEEE CNF** | IEEE Conference Proceeding |
| **IEE CNF** | IEE Conference Proceeding |
| **IEEE STD** | IEEE Standard |

**Modify Search**

( ( identifier<in>metadata ) <and> ( security<in>metadata ) )          **Search**

☐ Check to search only within this results set

**Display Format:**     ◉ Citation     ○ Citation & Abstract

**view selected items**     Select All  Deselect All          View: 1-

☐     1. **Mobility support for next-generation Internet signaling protocols**
Xiaoming Fu; Schulzrinne, H.; Tschofenig, H.;
Vehicular Technology Conference, 2003. VTC 2003-Fall. 2003 IEEE 58th
Volume 3,  6-9 Oct. 2003 Page(s):1979 - 1983 Vol.3
Digital Object Identifier 10.1109/VETECF.2003.1285371

AbstractPlus | Full Text: PDF(233 KB)    IEEE CNF
Rights and Permissions

☐     2. **Verifiable identifiers in middleware security**
Lang, U.; Gollmann, D.; Schreiner, R.;
Computer Security Applications Conference, 2001. ACSAC 2001. Proceedings
10-14 Dec. 2001 Page(s):450 - 459

AbstractPlus | Full Text: PDF(1168 KB)    IEEE CNF
Rights and Permissions

☐     3. **Real-time interception systems for the GSM protocol**
Gonzalez-Castano, F.J.; Vales-Alonso, J.; Pousada-Carballo, J.M.; de Vicente
Iglesias, M.J.;
Vehicular Technology, IEEE Transactions on
Volume 51,  Issue 5,  Sept. 2002 Page(s):904 - 914
Digital Object Identifier 10.1109/TVT.2002.801547

AbstractPlus | References | Full Text: PDF(789 KB)    IEEE JNL
Rights and Permissions

☐     4. **Partial identification of Lorenz system and its application to key space re chaotic cryptosystems**
Solak, E.;
Circuits and Systems II: Express Briefs, IEEE Transactions on [see also Circui Analog and Digital Signal Processing, IEEE Transactions on]
Volume 51,  Issue 10,  Oct. 2004 Page(s):557 - 560
Digital Object Identifier 10.1109/TCSII.2004.834534

AbstractPlus | References | Full Text: PDF(144 KB)    IEEE JNL
Rights and Permissions

☐     5. **A public key algorithm for ad-hoc networks**
Carbunar, B.; Grama, A.; Vitek, J.;
Performance, Computing, and Communications, 2004 IEEE International Conf
2004 Page(s):319 - 320

Digital Object Identifier 10.1109/PCCC.2004.1395016

AbstractPlus | Full Text: PDF(499 KB)   IEEE CNF
Rights and Permissions

6. **An empirical analysis of target-resident DoS filters**
Collins, M.; Reiter, M.;
Security and Privacy, 2004. Proceedings. 2004 IEEE Symposium on
9-12 May 2004 Page(s):103 - 114
Digital Object Identifier 10.1109/SECPRI.2004.1301318

AbstractPlus | Full Text: PDF(1468 KB)   IEEE CNF
Rights and Permissions

7. **Towards the Digitally Named World - challenges for new social infrastruc information technologies**
Yasuura, H.;
Digital System Design, 2003. Proceedings. Euromicro Symposium on
1-6 Sept. 2003 Page(s):17 - 22
Digital Object Identifier 10.1109/DSD.2003.1231895

AbstractPlus | Full Text: PDF(497 KB)   IEEE CNF
Rights and Permissions

8. **Sample domain integration of medical data for multimedia diagnosis**
Mingui Sun; Yun-Qing Shi; Qiang Liu; Sclabassi, R.J.;
Multimedia Signal Processing, 2002 IEEE Workshop on
9-11 Dec. 2002 Page(s):363 - 366

AbstractPlus | Full Text: PDF(387 KB)   IEEE CNF
Rights and Permissions

9. **Efficient commerce protocols based on one-time pads**
Schneider, M.A.; Felten, E.W.;
Computer Security Applications, 2000. ACSAC '00. 16th Annual Conference
11-15 Dec. 2000 Page(s):317 - 326
Digital Object Identifier 10.1109/ACSAC.2000.898886

AbstractPlus | Full Text: PDF(720 KB)   IEEE CNF
Rights and Permissions

10. **A process state-transition analysis and its application to intrusion detect**
Nuansri, N.; Singh, S.; Dillon, T.S.;
Computer Security Applications Conference, 1999. (ACSAC '99) Proceedings.
6-10 Dec. 1999 Page(s):378 - 387
Digital Object Identifier 10.1109/CSAC.1999.816050

AbstractPlus | Full Text: PDF(488 KB)   IEEE CNF
Rights and Permissions

11. **RTP payload multiplexing between IP telephony gateways**
Subbiah, B.; Sengodan, S.; Rajahalme, J.;
Global Telecommunications Conference, 1999. GLOBECOM '99
Volume 2,  1999 Page(s):1121 - 1127 vol.2
Digital Object Identifier 10.1109/GLOCOM.1999.829948

AbstractPlus | Full Text: PDF(480 KB)   IEEE CNF
Rights and Permissions

12. **Security for universal personal communications**
Lambert, P.A.;
Universal Personal Communications, 1992. ICUPC '92 Proceedings., 1st Intern Conference on
29 Sept.-1 Oct. 1992 Page(s):02.04/1 - 02.04/5
Digital Object Identifier 10.1109/ICUPC.1992.240823

AbstractPlus | Full Text: PDF(348 KB)    IEEE CNF
Rights and Permissions

13. **Efficient, self-contained handling of identity in peer-to-peer systems**
Aberer, K.; Datta, A.; Hauswirth, M.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 16, Issue 7, July 2004 Page(s):858 - 869
Digital Object Identifier 10.1109/TKDE.2004.1318567

AbstractPlus | References | Full Text: PDF(784 KB)    IEEE JNL
Rights and Permissions

14. **A technological model to define access to electronic clinical records**
Dalley, A.; Fulcher, J.; Bomba, D.; Lynch, K.; Feltham, P.;
Information Technology in Biomedicine, IEEE Transactions on
Volume 9, Issue 2, June 2005 Page(s):289 - 290
Digital Object Identifier 10.1109/TITB.2005.847143

AbstractPlus | References | Full Text: PDF(42 KB)    IEEE JNL
Rights and Permissions

15. **Multiple regression models as identifiers of power system weak points**
Halilcevic, S.S.; Gubina, A.F.; Strmcnik, B.; Gubina, F.;
Generation, Transmission and Distribution, IEE Proceedings-
Volume 153, Issue 2, 16 March 2006 Page(s):211 - 216
Digital Object Identifier 10.1049/ip-gtd:20050287

AbstractPlus | Full Text: PDF(175 KB)    IEE JNL

16. **SPINAT: Integrating IPsec into Overlay Routing**
Ylitalo, J.; Salmela, P.; Tschofenig, H.;
Security and Privacy for Emerging Areas in Communications Networks, 2005.
2005. First International Conference on
05-09 Sept. 2005 Page(s):315 - 326
Digital Object Identifier 10.1109/SECURECOMM.2005.53

AbstractPlus | Full Text: PDF(576 KB)    IEEE CNF
Rights and Permissions

17. **Short Paper: Location Privacy with IP Mobility**
Koodli, R.; Devarapalli, V.; Flinck, H.; Perkins, C.E.;
Security and Privacy for Emerging Areas in Communications Networks, 2005.
2005. First International Conference on
05-09 Sept. 2005 Page(s):222 - 224
Digital Object Identifier 10.1109/SECURECOMM.2005.44

AbstractPlus | Full Text: PDF(152 KB)    IEEE CNF
Rights and Permissions

18. **Protecting Location Privacy Through Path Confusion**
Baik Hoh; Gruteser, M.;
Security and Privacy for Emerging Areas in Communications Networks, 2005.
2005. First International Conference on
05-09 Sept. 2005 Page(s):194 - 205
Digital Object Identifier 10.1109/SECURECOMM.2005.33

AbstractPlus | Full Text: PDF(416 KB)    IEEE CNF
Rights and Permissions

19. **Picking Virtual Pockets using Relay Attacks on Contactless Smartcard**
Kfir, Z.; Wool, A.;
Security and Privacy for Emerging Areas in Communications Networks, 2005.
2005. First International Conference on
05-09 Sept. 2005 Page(s):47 - 58
Digital Object Identifier 10.1109/SECURECOMM.2005.32

AbstractPlus | Full Text: PDF(368 KB)    IEEE CNF
Rights and Permissions

20. **Short Paper: Thor - The Hybrid Online Repository**
van der Horst, T.W.; Seamons, K.E.;
Security and Privacy for Emerging Areas in Communications Networks, 2005.
2005. First International Conference on
05-09 Sept. 2005 Page(s):412 - 414
Digital Object Identifier 10.1109/SECURECOMM.2005.49

AbstractPlus | Full Text: PDF(136 KB)    IEEE CNF
Rights and Permissions

21. **RSVP over IPsec Tunnel Mode Using RFC 3175**
Griem, T.; Ayyagari, A.; Kim, J.H.;
Military Communications Conference, 2005. MILCOM 2005. IEEE
17-20 Oct. 2005 Page(s):1 - 5

AbstractPlus | Full Text: PDF(2096 KB)    IEEE CNF
Rights and Permissions

22. **Defend Against Topological Attacks in Sensor Networks**
Yun Zhou; Yuguang Fang;
Military Communications Conference, 2005. MILCOM 2005. IEEE
17-20 Oct. 2005 Page(s):1 - 6

AbstractPlus | Full Text: PDF(744 KB)    IEEE CNF
Rights and Permissions

23. **Key Elements Extraction Based On Particle Feature And RBFNN In New !**
**Method**
Shutao Zhao; Baoshu Li; Jinsha Yuan; Dongsheng Zhao;
Industrial Technology, 2005. ICIT 2005. IEEE International Conference on
14-17 Dec. 2005 Page(s):795 - 798

AbstractPlus | Full Text: PDF(952 KB)    IEEE CNF
Rights and Permissions

24. **Operating System Level Support for Resource Sharing Across Multiple D**
Hao Wang; Wei Li; Donghua Liu; Li Cha; Haiyan Yu; Zhiwei Xu;
High-Performance Computing in Asia-Pacific Region, 2005. Proceedings. Eigh
Conference on
2005 Page(s):299 - 306
Digital Object Identifier 10.1109/HPCASIA.2005.59

AbstractPlus | Full Text: PDF(288 KB)    IEEE CNF
Rights and Permissions

25. **Non-repudiation of consumption of mobile Internet services with privacy**
Hasan, B.S.;
Wireless And Mobile Computing, Networking And Communications, 2005. (Wil
International Conference on
Volume 2,  22-24 Aug. 2005 Page(s):1 - 8 Vol. 2
Digital Object Identifier 10.1109/WIMOB.2005.1512843

AbstractPlus | Full Text: PDF(382 KB)    IEEE CNF
Rights and Permissions

**View: 1-**

Help    Contact Us    Privacy & :

Web   Images   Groups   News   Froogle   Maps   more »

**Google**™  | identifier precedence security | Search | Advanced Search
Preferences

**Web**                 Results **1 - 10** of about **1,470,000** for <u>identifier **precedence** **security**</u>. (0.48 seconds)

IPMSHeadingExtensions (X.420:06/1999)
... body-part-**security**-labels [2] SEQUENCE OF BodyPartSecurityLabel
OPTIONAL ... **Precedence** Policy **Identifier precedence**-policy-identifier
IPMS-EXTENSION ...
www.itu.int/ITU-T/asn1/database/ itu-
t/x/x420/1999/IPMSHeadingExtensions.html - 23k -
Cached - Similar pages

IPMSInformationObjects (X.420:06/1999)
... **precedence** | recipient-**security**-request | PrivateIPMSExtensions, . ... EXTENDED-
BODY-PART-TYPE ::= CLASS { &parameters TYPE-**IDENTIFIER** OPTIONAL, ...
www.itu.int/ITU-T/asn1/database/ itu-t/x/x420/1999/IPMSInformationObjects.html - 61k -
Cached - Similar pages

IEN-114 J. Postel ISI August 1979 PROTOCOL OPTIONS ...
0 2 4 S/P/T. Used to carry **Security, Precedence**, and user group (TCC) information ...
Used to carry the stream **identifier**. 1 1 var. General Error Report. ...
www.isi.edu/in-notes/ien/ien114.txt - 14k - Cached - Similar pages

Automated **Security** Manager Options
**Precedence**: **Precedence** determines the order that ASM responds to certain Event ...
Sender **Identifier** List: This list contains the Sender Identifiers that ...
www.enterasys.com/support/manuals/ Atlas_Console_1.5-
web/sec_mgr/docs/c_at_im_options.html - 21k - Cached - Similar pages

How to Set Automated **Security** Manager Options
Enter a new Event Category Name/**Precedence** in their respective field(s) and ... Enter a
Sender **Identifier** name into the Sender **Identifier** Name field and ...
www.enterasys.com/support/manuals/Atlas_ Console_1.5.1-
web/sec_mgr/docs/c_ht_im_options.html - 13k - Cached - Similar pages

Specification and Analysis of **Security** Policy for Distributed Systems
Our concept of domain nesting **precedence** is based on that of Miró (Heydon, 1990), but
they only deal with authorisation policy for file system **security**. ...
www-dse.doc.ic.ac.uk/projects/ secpol/SecPol-overview.html - 42k - Cached - Similar pages

Education Management Information System (EMIS)
EMIS **Identifier**-Based **Security** Checking ... If any are found, the access granted by the
specialized **identifier** takes **precedence** over any access granted by ...
www2.oecn.k12.oh.us/www/ssdt/ sysman/emis20_sysman_manual_002.html - 28k -
Cached - Similar pages

The Markup **Security** Project
... exchanges are indicated, the two-phase exchange takes **precedence**. ... The following
Application/**Identifier** combinations are meaningful for use with ...
markup**security**.com/info/xkms/index.html - 10k - Cached - Similar pages

Component Block - <Instrument>
48, SecurityID, N, Takes **precedence** in identifying **security** to counterparty ... The

**Security** Alternative **identifier** block should not be populated unless ...
www.fixprotocol.org/specifications/ fix4.3fiximate/instrument.html - 14k -
Cached - Similar pages

## OPEN Call
Fill in local socket **identifier**, foreign socket, **precedence**, **security**/compartment, and user
timeout information. Note that some parts of the foreign socket ...
www.freesoft.org/CIE/RFC/793/28.htm - 4k - Cached - Similar pages

# Goooooooooogle ▶
Result Page:      **1** 2 3 4 5 6 7 8 9 10      **Next**

New! Crack the Code: Play the Da Vinci Code Quest on Google.

| identifier precedence security | | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

**Web**  Images  Groups  News  Froogle  Maps  **more »**

Google™  | identifier precedence security | [Search]  Advanced Search
Preferences

**Web**  Results **1 - 10** of about **1,470,000** for <u>identifier</u> **precedence** <u>security</u>. (0.48 seconds)

<u>IPMSHeadingExtensions (X.420:06/1999)</u>
... body-part-**security**-labels [2] SEQUENCE OF BodyPartSecurityLabel
OPTIONAL ... **Precedence** Policy **Identifier precedence**-policy-**identifier**
IPMS-EXTENSION ...
www.itu.int/ITU-T/asn1/database/ itu-
t/x/x420/1999/IPMSHeadingExtensions.html - 23k -
<u>Cached</u> - <u>Similar pages</u>

> <u>IPMSInformationObjects (X.420:06/1999)</u>
> ... **precedence** | recipient-**security**-request | PrivateIPMSExtensions, . ... EXTENDED-
> BODY-PART-TYPE ::= CLASS { &parameters TYPE-**IDENTIFIER** OPTIONAL, ...
> www.itu.int/ITU-T/asn1/database/ itu-t/x/x420/1999/IPMSInformationObjects.html - 61k -
> <u>Cached</u> - <u>Similar pages</u>

<u>IEN-114 J. Postel ISI August 1979 PROTOCOL OPTIONS ...</u>
0 2 4 S/P/T. Used to carry **Security, Precedence**, and user group (TCC) information ...
Used to carry the stream **identifier**. 1 1 var. General Error Report. ...
www.isi.edu/in-notes/ien/ien114.txt - 14k - <u>Cached</u> - <u>Similar pages</u>

<u>Automated **Security** Manager Options</u>
**Precedence**: **Precedence** determines the order that ASM responds to certain Event ...
Sender **Identifier** List: This list contains the Sender Identifiers that ...
www.enterasys.com/support/manuals/ Atlas_Console_1.5-
web/sec_mgr/docs/c_at_im_options.html - 21k - <u>Cached</u> - <u>Similar pages</u>

> <u>How to Set Automated **Security** Manager Options</u>
> Enter a new Event Category Name/**Precedence** in their respective field(s) and ... Enter a
> Sender **Identifier** name into the Sender **Identifier** Name field and ...
> www.enterasys.com/support/manuals/Atlas_ Console_1.5.1-
> web/sec_mgr/docs/c_ht_im_options.html - 13k - <u>Cached</u> - <u>Similar pages</u>

<u>Specification and Analysis of **Security** Policy for Distributed Systems</u>
Our concept of domain nesting **precedence** is based on that of Miró (Heydon, 1990), but
they only deal with authorisation policy for file system **security**. ...
www-dse.doc.ic.ac.uk/projects/ secpol/SecPol-overview.html - 42k - <u>Cached</u> - <u>Similar pages</u>

<u>Education Management Information System (EMIS)</u>
EMIS **Identifier**-Based **Security** Checking ... If any are found, the access granted by the
specialized **identifier** takes **precedence** over any access granted by ...
www2.oecn.k12.oh.us/www/ssdt/ sysman/emis20_sysman_manual_002.html - 28k -
<u>Cached</u> - <u>Similar pages</u>

<u>The Markup **Security** Project</u>
... exchanges are indicated, the two-phase exchange takes **precedence**. ... The following
Application/**Identifier** combinations are meaningful for use with ...
markup**security**.com/info/xkms/index.html - 10k - <u>Cached</u> - <u>Similar pages</u>

<u>Component Block - <Instrument></u>
48, SecurityID, N, Takes **precedence** in identifying **security** to counterparty ... The

**Security** Alternative **identifier** block should not be populated unless ...
www.fixprotocol.org/specifications/ fix4.3fiximate/instrument.html - 14k -
Cached - Similar pages

## OPEN Call
Fill in local socket **identifier,** foreign socket, **precedence, security**/compartment, and user
timeout information. Note that some parts of the foreign socket ...
www.freesoft.org/CIE/RFC/793/28.htm - 4k - Cached - Similar pages

# Goooooooooogle ▶

Result Page:     **1** 2 3 4 5 6 7 8 9 10     **Next**

New! Crack the Code: Play the Da Vinci Code Quest on Google.

| identifier precedence security | | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google